

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 2588 | ((voice or speech) near (recogni\$4) near (\$3system)).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 10:28 |
| S2 | 66 | ((voice or speech) near (recogni\$4) near (\$3system)).ab. and activate and command | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 08:27 |
| S3 | 8 | ((voice or speech) near (recogni\$4) near (\$3system)).ab. and ((cpu or processor) with (standby or suspend\$2 or sleep or off)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 08:43 |
| S4 | 251 | ((voice or speech) near (recogni\$4) near (\$3system)).ab. and (standby or suspend\$2 or sleep or off) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 09:24 |
| S5 | 25 | ((voice or speech) near (recogni\$4) near (\$3system)) same (standby or suspend\$2 or sleep or off)).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 09:29 |
| S6 | 1 | (((\$3system) near (standby or suspend\$2 or sleep)).ab. and ((voice or speech) adj (recogni\$4))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 09:48 |
| S7 | 207 | (subsystem).ab. and ((voice or speech) adj (recogni\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 10:25 |
| S8 | 42 | ((subsystem).ab. and ((voice or speech) adj (recogni\$4))) and (standby or suspend\$2 or sleep) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 09:58 |
| S9 | 58 | ((subsystem).ab. and ((voice or speech) adj (recogni\$4))) and (standby or suspend\$2 or sleep or inactiv\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 09:58 |
| S10 | 9 | (subsystem).ab. and ((voice or speech) adj (recogni\$4)) and (e\$1store or e\$1commerce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 10:26 |
| S11 | 5 | ((voice or speech) near (recogni\$4) near (\$3system)).ab. and (e\$1store or e\$1commerce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 10:29 |
| S12 | 171 | database with synch\$ with memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 11:28 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S13 | 69 | (database with synch\$ with memory) and (off or standby or sleep or suspend\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 11:16 |
| S14 | 47 | database with synch\$ with dis\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 11:36 |
| S15 | 3 | database with synch\$ same (dis\$1 with (off or standby or suspend\$2 or sleep)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/10/28 11:37 |
| S16 | 9057 | (common shar\$3) near3 database | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 15:09 |
| S17 | 65681 | (common shar\$3) near3 (database memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 15:10 |
| S18 | 67053 | (low alternate secondary) adj3 (system subsystem) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 15:22 |
| S19 | 154 | S17 same S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 15:11 |
| S20 | 60 | S17 with S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 15:12 |
| S21 | 1631 | low adj2 power adj2 (system subsystem) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 15:22 |
| S22 | 4 | S17 same S21 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 15:23 |
| S23 | 45 | S17 and S21 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 15:58 |
| S24 | 48 | S21 same (detach\$4 remov\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:04 |
| S25 | 52370 | (sync\$4 synchroniz\$4) near3 data\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:03 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S26 | 1709 | S25 same (detach\$4 remov\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:04 |
| S27 | 564 | S25 with (detach\$4 remov\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:04 |
| S28 | 18 | S25 same (detach\$4 remov\$4) near (system subsystem hand\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:05 |
| S29 | 46 | S25 same (detach\$4 remov\$4) near3 (system subsystem hand\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:12 |
| S30 | 1370 | (activat\$3 on) near5 (hand\$4 pda) same (computer host) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:13 |
| S31 | 14 | (activat\$3 on) near5 (hand\$4 pda) same (computer host) with (low sleep) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:19 |
| S32 | 4 | (activat\$3 on) near5 (hand\$4 pda) same (computer host) with (idle) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:21 |
| S33 | 2 | (activat\$3 on) near5 (hand\$4 pda) same (computer host) with low adj3 mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:21 |
| S34 | 45 | (activat\$3 on) with (computer host) with low adj3 mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:29 |
| S35 | 17444 | (switch\$3) with (system subsystem) with low | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:36 |
| S36 | 660 | (switch\$3) with (system subsystem) with low adj3 mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:36 |
| S37 | 79 | (switch\$3) adj3 (system subsystem) with low adj3 mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:38 |
| S38 | 6 | (activat\$3 on switch\$3) adj3 (alternate secondary low) adj2 (system subsystem) with low adj3 mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:39 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S39 | 18 | (activat\$3 on switch\$3) adj3 (alternate secondary low) adj2 (system subsystem) with mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/14 16:39 |
| S40 | 797 | (notebook portable) with (activat\$3 on switch\$3) near3 (pda hand\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/15 09:26 |
| S41 | 4 | (notebook portable) near5 low with (activat\$3 on switch\$3) near3 (pda hand\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/15 09:27 |
| S42 | 28 | (notebook portable) near5 (mode state) with (activat\$3 on switch\$3) near3 (pda hand\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/15 09:27 |
| S43 | 9 | low adj2 power near5 distribut\$3 adj2 (mode state) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/15 11:14 |
| S44 | 22 | clos\$3 near5 (notebook portable) with low adj2 power | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/15 11:14 |